

April 14, 2022

South Hunterdon Regional School District
301 Mt Airy-Harbourton Road
Lambertville, New Jersey

Dear South Hunterdon Regional School District Community,

Our school system is committed to protecting student, teacher, and staff health. To protect our community and be in compliance with the Department of Education regulations, South Hunterdon Regional School District tested our schools' drinking water for lead. On March 26, 2022, lead in drinking water sampling was conducted at the following: South Hunterdon Regional High School, West Amwell Elementary, and Lambertville Elementary School.

In accordance with the Department of Education regulations, South Hunterdon Regional School District will implement immediate remedial measures for any drinking water outlet with a result greater than the action level of 15 µg/l (parts per billion [ppb]). This includes turning off the outlet unless it is determined the location must remain on for non-drinking purposes. In these cases, a "DO NOT DRINK – SAFE FOR HANDWASHING ONLY" sign will be posted.

Testing Results

Following instructions given in technical guidance developed by the New Jersey Department of Environmental Protection, we completed a plumbing profile for each of the buildings within South Hunterdon Regional School District. Through this effort, we identified and tested all drinking water and food preparation outlets. Of the 148 samples taken, all but 3 tested below the lead action level established by the US Environmental Protection Agency for lead in drinking water (15 µg/l [ppb]).

The table below identifies the drinking water outlets that tested above the 15 µg/l for lead, the actual lead level, and what temporary remedial action South Hunterdon Regional School District has taken to reduce the levels of lead at these locations.

Sample Location	Initial Results in µg/l (ppb)	Flush Results in µg/l (ppb)	Remedial Action
Lambertville Public School Point-of-Entry ID#WH-POE	25.76	3.709	Posted as "Do Not Drink-Safe for Handwashing Only"
West Amwell Elementary Room 112 ID#WH-WF-10	18.14	2.922	Disconnected outlet and bottled water provided
West Amwell Elementary White House Point-of-entry ID#WH-POE-15	45.48	6.352	Posted as "Do Not Drink-Safe for Handwashing Only"

BOLD = Exceedances above USEPA Action Level 15 ppb

Health Effects of Lead

High levels of lead in drinking water can cause health problems. Lead is most dangerous for pregnant women, infants, and children under 6 years of age. It can cause damage to the brain, kidneys, and can interfere with the production of red blood cells that carry oxygen to all parts of your body. Exposure to high levels of lead during pregnancy contributes to low birth weight and developmental delays in infants. In young children, lead exposure can lower IQ levels, affect hearing, reduce attention span, and hurt school performance. At *very* high levels, lead can even cause brain damage. Adults with kidney problems and high blood pressure can be affected by low levels of lead more than healthy adults.

How Lead Enters our Water

Lead is unusual among drinking water contaminants in that it seldom occurs naturally in water supplies like groundwater, rivers, and lakes. Lead enters drinking water primarily as a result of the corrosion, or wearing away, of materials containing lead in the water distribution system and in building plumbing. These materials include lead-based solder used to join copper pipe, brass, and chrome-plated brass faucets. In 1986, Congress banned the use of lead solder containing greater than 0.2% lead, and restricted the lead content of faucets, pipes and other plumbing materials. However, even the lead in plumbing materials meeting these new requirements is subject to corrosion. When water stands in lead pipes or plumbing systems containing lead for several hours or more, the lead may dissolve into the drinking water. This means the first water drawn from the tap in the morning *may* contain fairly high levels of lead.

Lead in Drinking Water

Lead in drinking water, although rarely the sole cause of lead poisoning can significantly increase a person's total lead exposure, particularly the exposure of children under the age of 6. EPA estimates that drinking water can make up 20% or more of a person's total exposure to lead.

For More Information

A copy of the test results is available in our central office for inspection by the public, including students, teachers, other school personnel, and parents, and can be viewed between the hours of 8:30 a.m. and 4:00 p.m. and are also available on our website at www.jacksonsd.org. For more information about water quality in our schools, contact Andrew Harris, ~~Facilities Manager~~Business Administrator at (609) 397-0323.

For more information on reducing lead exposure around your home and the health effects of lead, visit EPA's Web site at www.epa.gov/lead, call the National Lead Information Center at 800-424-LEAD, or contact your health care provider.

If you are concerned about lead exposure at this facility or in your home, you may want to ask your health care providers about testing children to determine levels of lead in their blood.

Sincerely,

[Administrator Name]

[Title, School District Name]

Formatted: Font: 10 pt, Font color: Auto

Formatted: Normal, Space Before: 0 pt, Line spacing: single